AMENDMENTS TO THE CLAIMS

- 1. (Currently Amended) A process for producing a homogeneous type solid catalyst component or a homogeneous type solid catalyst comprising a step for removing a fine-powdery component and/or a shapeless component utilizing a difference between their sedimentation velocities of the catalyst component or the catalyst in a solvent.
- 2. (Currently Amended) A process for producing a homogeneous type solid catalyst component or a homogeneous type solid catalyst comprising, in a washing step in the production of a homogeneous type solid catalyst component or a homogeneous type solid catalyst, a step for removing a fine-powdery component and/or an a shapeless component by removing a slurry-form portion before the completion of sedimentation of a fine-powdery component and/or an a shapeless component.
- 3. (Currently Amended) The process according to claim 1, wherein the homogeneous type solid catalyst component or the homogeneous type solid catalyst is a modified particle obtainable obtained by contacting the following (a), the following (b), the following (c) and a particle (d):



Appl. No. 10/024,557

(a): a compound represented by the following general formula[1]:

$$M^1L^1_m$$
 [1]

(b): a compound represented by the following general formula
[2]:

$$R^1_{t-1}TH$$
 [2]

(c): a compound represented by the following general formula
[3]:

$$R^2_{t-2}TH_2$$
 [3]

twherein in the above formulae [1] to [3], respectively, M¹ represents a typical metal atom in the groups I, II, XII, XIV or XV in The Periodic Table, and m represents a valence of M¹; L¹ represents a hydrogen atom, a halogen atom or a hydrocarbon group, and in the case where plural L¹s exist, they may be the same or different; R¹ represents an electron attractive group or a group containing an electron attractive group, and in the case where plural R¹s exist, they may be the same or different; R² represents a hydrocarbon group or a halogenated hydrocarbon group; T represents, independent of each other, an atom in the groups XV or XVI in The Periodic Table, and t represents a valence of T in respective compounds).

- 4. (Original) The process according to claim 2, wherein the homogeneous type solid catalyst component or the homogeneous type solid catalyst is a modified particle obtainable obtained by contacting the following (a), the following (b), the following (c) and a particle (d):
- (a): a compound represented by the following general formula[1]:

$$M^1L^1_m$$
 [1]

(b): a compound represented by the following general formula [2]:

$$R^1_{t-1}TH$$
 [2]

(c): a compound represented by the following general formula
[3]:

$$R^2_{t-2}TH_2$$
 [3]

the wherein in the above formulae [1] to [3], respectively, M¹ represents a typical metal atom in the groups I, II, XII, XIV or XV in The Periodic Table, and m represents a valence of M¹; L¹ represents a hydrogen atom, a halogen atom or a hydrocarbon group, and in case where plural L¹s exist, they may be the same or different; R¹ represents an electron attractive group or a group containing an electron attractive group, and in case where plural R¹s exist, they may be the same or different; R² represents a hydrocarbon group or a halogenated hydrocarbon group; T represents,

Appl. No. 10/024,557

independent of each other, an atom in the groups XV or XVI in The Periodic Table, and t represents a valence of T in respective compounds).

- 5. (Currently Amended) The process according to claim 1, wherein the homogeneous type solid catalyst component or the homogeneous type solid catalyst is a modified particle obtainable obtained by contacting an aluminoxane (f) and a particle (d).
- 6. (Currently Amended) The process according to claim 2, wherein the homogeneous type solid catalyst component or the homogeneous type solid catalyst is a modified particle obtainable obtained by contacting an aluminoxane (f) and a particle (d).
- 7. (Original) The process according to claim 1, wherein the homogeneous type solid catalyst component or the homogeneous type solid catalyst is a modified particle obtainable by contacting an aluminoxane (f) a particle (d) and a transition metal component (g).
- 8. (Currently Amended) The process according to claim 2, wherein the homogeneous type solid catalyst component or the homogeneous type solid catalyst is a modified particle obtainable

Appl. No. 10/024,557

obtained by contacting an aluminoxane (f) a particle (d) and a transition metal component (g).

- 9. (Currently Amended) A homogeneous type solid catalyst component or a homogeneous type solid catalyst obtained by the process according to claim 1.
- 10. (Currently Amended) A homogeneous type solid catalyst component or a homogeneous type solid catalyst obtainable obtained by the process according to claim 2.
- 11. (Original) A process for producing an addition polymer which comprises polymerizing an addition polymerizable monomer using the homogeneous type solid catalyst component or the homogeneous type solid catalyst according to claim 9.
- 12. (Original) A process for producing an addition polymer which comprises polymerizing an addition polymerizable monomer using the homogeneous type solid catalyst component or the homogeneous type solid catalyst according to claim 10.